

THE DIRICHLET PROBLEM FOR SECOND ORDER SEMILINEAR ELLIPTIC AND PARABOLIC EQUATIONS

ALKIS TERSENOV

Abstract. In the present paper the Dirichlet problem for semilinear elliptic and parabolic equations in general form is considered. New condition guaranteeing the global solvability of this problem for a wide class of superlinear sources, including e^u and $|u|^{p-1}u$, $p > 1$, is formulated. For sublinear case (for example $\ln(1 + |u|)$ or $|u|^{p-1}u$, $p < 1$) this condition is automatically fulfilled. Our approach gives new a priori estimate of the solution for superlinear, sublinear and linear case as well.

Mathematics subject classification (2000): 35J25, 35K20.

Keywords and phrases: global solvability, a priori estimates.

REFERENCES

- [1] H. FUJITA, *On the nonlinear equations $\Delta u + e^u = 0$ and $\partial v / \partial t = \Delta v + e^v$* , Bull. Amer. Math. Soc. **75** (1969), 132–135.
- [2] D. GILBARG, N. TRUDINGER, *Elliptic partial differential equations of second order (2nd ed.)*, Springer, 1983.
- [3] O.A. LADYZHENSKAJA, V.A. SOLONNIKOV, N.N. URALCEVA, *Linear and Quasilinear Equations of Parabolic Type*, Amer. Math. Soc. Trans., **23**, 2 (1968).
- [4] O.A. LADYZHENSKAYA, N.N. URALTSEVA, *Linear and quasilinear equations of elliptic type*, [Russian] (2nd ed., revised), Nauka, Moscow, 1973.
- [5] S.I. POKHOZHAEV, *Eigenfunctions of the equation $\Delta u + \lambda f(u) = 0$* , Sov. Math. Dokl., **6** (1965), 1408–1411.
- [6] A.A. SAMARSKII, V.A. GALAKTIONOV, S.P. KURDYUMOV, A.P. MIKHAILOV, *Blow-up in quasilinear parabolic equations*, Translated from the 1987 Russian original by Michael Grinfeld and revised by the authors, de Gruyter Expositions in Mathematics, 19. Walter de Gruyter & Co., Berlin, 1995. xxii+535 pp.
- [7] AL.S. TERSENOV, *Estimate of the solution of the Dirichlet problem for parabolic equations and applications*, J. Math. Anal. Appl., **273**, 1 (2002), 206–216.
- [8] AL.S. TERSENOV, *The preventive effect of the convection and of the diffusion in the blow-up phenomenon for parabolic equations*, Ann. Inst. H. Poincaré Anal. Non Linéaire, **21**, 4 (2004), 533–541.
- [9] AL.S. TERSENOV, AR.S. TERSENOV, *The problem of Dirichlet for anisotropic quasilinear degenerate elliptic equations*, J. Differential Equations, **235**, 2 (2007), 376–396.