

RECTIFIABLE OSCILLATIONS OF RADIALY SYMMETRIC SOLUTIONS OF p -LAPLACE DIFFERENTIAL EQUATIONS

YŪKI NAITO, MERVAN PAŠIĆ, AND HIROYUKI USAMI

Abstract. Let $\Omega = \{x \in \mathbb{R}^N : r_0 \leq |x| < 1\}$ with $N \geq 2$ and $r_0 \in (0, 1)$. We study a kind of geometric oscillatory and asymptotic behaviour near $|x| = 1$ of all radially symmetric solutions $u = u(x)$ of the p -Laplace partial differential equation $(P) : -\operatorname{div}(|\nabla u|^{p-2} \nabla u) = f(|x|)|u|^{p-2}u$ in Ω , $u = 0$ on $|x| = 1$ for $p > 1$. Necessary and sufficient conditions on the coefficient $f(|x|)$ are given such that $u(x)$ oscillates near $|x| = 1$ and the surface area of graph $\Gamma(u) \subseteq \mathbb{R}^{N+1}$ of $u(x)$ is finite-rectifiable oscillations, and infinite-nonrectifiable oscillations. The L^1 -integrability and L^p -nonintegrability of $|\nabla u|$ on Ω for $p > 1$ are also considered.

Mathematics subject classification (2010): 26B15, 26B35, 34A26, 34C10, 34D05, 35B05, 35J25.

Keywords and phrases: p -Laplacian equation, radially symmetric solutions, oscillations, surface area, rectifiability.

REFERENCES

- [1] H. BREZIS, *Analyse fonctionnelle. Théorie et applications*, Masson, Paris, 1983.
- [2] L. C. EVANS AND R. F. GARIEPY, *Measure Theory and Fine Properties of Functions*, CRC Press, New York, 1999.
- [3] P. HARTMAN, *Ordinary Differential Equations*, Second edition, Birkhauser, Boston, Basel, Stuttgart, 1982.
- [4] M. K. KWONG, M. PAŠIĆ, AND J. S. W. WONG, *Rectifiable oscillations in second order linear differential equations*, J. Differential Equations, **245** (2008), 2333–2351.
- [5] R. MARIK, *Oscillation criteria for PDE with p -Laplacian via the Riccati technique*, J. Math. Anal. Appl., **248** (2000), 290–308.
- [6] R. MARIK, *Ordinary differential equations in the oscillation theory of partial half-linear differential equation*, J. Math. Anal. Appl., **338** (2008), 194–208.
- [7] Y. NAITO, *Uniqueness of positive solutions of quasilinear differential equations*, Differential Integral Equations, **8** (1995), 1813–1822.
- [8] M. PAŠIĆ, *Rectifiable and unrectifiable oscillations for a class of second-order linear differential equations of Euler type*, J. Math. Anal. Appl., **335** (2007), 724–738.
- [9] M. PAŠIĆ, *Fractal oscillations for a class of second-order linear differential equations of Euler type*, J. Math. Anal. Appl., **341** (2008), 211–223.
- [10] M. PAŠIĆ, *Rectifiable and unrectifiable oscillations for a generalization of the Riemann - Weber version of Euler differential equations*, Georgian Math. J., **15** (2008), 759–774.
- [11] M. PAŠIĆ AND S. TANAKA, *Rectifiable oscillations of self-adjoint and damped linear differential equations of second-order*, J. Math. Anal. Appl., **381** (2011), 27–42.
- [12] M. PAŠIĆ AND S. TANAKA, *Fractal oscillations of self-adjoint and damped linear differential equations of second-order*, Appl. Math. Comp., **218** (2011), 2281–2293.
- [13] M. PAŠIĆ AND J. S. W. WONG, *Two-point oscillations oscillations in second-order linear differential equations*, Differ. Equ. Appl., **1** (2009), 85–122.
- [14] M. PAŠIĆ AND J. S. W. WONG, *Rectifiable oscillations in second-order half-linear differential equations*, Ann. Mat. Pura Appl. (4), **188** (2009), 517–541.
- [15] J.-M. RAKOTOSON, *Equivalence between the growth of $\int_{B(x,r)} |\nabla u|^p dy$ and T in the equation $P[u] = T$* , J. Differential Equations, **86** (1990), 102–122.

- [16] C. TRICOT, *Curves and Fractal Dimension*, Springer-Verlag, New York, 1995.
- [17] J. WANG, *On second order quasilinear oscillations*, Funkcialaj Ekvacioj, **41** (1998), 25–54.
- [18] J. S. W. WONG, *On rectifiable oscillation of Euler type second order linear differential equations*, E. J. Qualitative Theory of Diff. Equ., **20** (2007), 1–12.