A LEAST SQUARES SOLUTION TO LINEAR BOUNDARY VALUE PROBLEMS WITH IMPULSES

DANIEL MARONCELLI AND JESÚS RODRÍGUEZ

Abstract. In this paper we are concerned with obtaining least squares solutions for a linear non-homogeneous boundary value problem with impulses. In particular, we obtain a complete description for the least squares solution of minimal norm, in the sense of $L^2[0,1]$.

Mathematics subject classification (2010): 34B15.

Keywords and phrases: boundary value problems, least squares solutions, impulsive differential equations.

REFERENCES

- [1] S.M. CHUIKO, A Generalized Green operator for a boundary value problem with impulse action, Differential Equations, 37 (2001), 1189–1193.
- [2] S.M. CHUIKO, The Green operator for a boundary value problem with impulse action, Jh. Dokl. Akad. Nauk, Math., 64 (2001), 41–43.
- [3] S.M. CHUIKO, Least-squares method in the theory of ill-posed linear boundary-value problems with pulse action, Ukrainian Math. Journal, 62 (2010), 794–803.
- [4] J. LOCKER, The method of least squares for boundary value problems, Trans. Amer. Math. Soc., 154 (1971), 57–68.
- [5] J. LOCKER, On constructing least squares solutions to two-point boundary value problems, Trans. Amer. Math. Soc., 203 (1975), 175–183.
- [6] J. LOCKER, The generalized Green's function for an nth order linear differential operator, Trans. Amer. Math. Soc., 228 (1977), 243–268.
- [7] J. LOCKER, Functional analysis and two-point differential operators, Longman Scientific & Technical, 1986.
- [8] JESÚS RODRÍGUEZ AND PADRAIC TAYLOR, Multipoint boundary value problems for nonlinear ordinary differential equations, Nonlinear Anal., 68 (2008), 3465–3474.
- [9] N. ROUCHE AND J. MAWHIN, Ordinary differential equations, Pitman, London, 1980.