

SHIFTED CHEBYSHEV SPECTRAL-COLLOCATION METHOD FOR SOLVING OPTIMAL CONTROL OF FRACTIONAL MULTI-STRAIN TUBERCULOSIS MODEL

NASSER SWEILAM AND SEHAM AL-MEKHLAFT

Abstract. In this paper, optimal control for a novel fractional multi-strain Tuberculosis model is presented. The proposed model is governed by a system of fractional differential equations, where the fractional derivative is defined in the Caputo sense. Modified parameters are introduced to account for the fractional order. Four controls variables are proposed to minimize the cost of interventions. Necessary and sufficient conditions that guarantee the existence and the uniqueness of the solution of the resulting systems are given. The optimality system is approximated by shifted Chebyshev polynomials which transformed the system of differential equations to a nonlinear system of algebraic equations with unknown coefficients. The convergence analysis and an upper bound of the error of the derived formula are given. Newton's iteration method is used to solve this system of nonlinear algebraic equations. The value of the objective functional which is obtained by the proposed method are compared with those obtained by the generalized Euler method. It is found that, Shifted Chebyshev spectral-collocation method is better than the generalized Euler method.

Mathematics subject classification (2010): 37N25, 49J15, 26A33, 74S25.

Keywords and phrases: Tuberculosis model, emerging multi-drug resistant, extensively drug-resistant, fractional order model, Caputo definition, optimal control problem, shifted Chebyshev spectral-collocation method.

REFERENCES

- [1] A. J. ARENAS, G. GONZÁLEZ-PARRA, B. M. CHEN-CHARPENTIERC, *Construction of nonstandard finite difference schemes for the SI and SIR epidemic models of fractional order*, Mathematics and Computers in Simulation **121**, 48–63, (2016).
- [2] J. ARINO, I. A. SOLIMAN, *A model for the Spread of Tuberculosis with Drug-Sensitive and Emerging Multidrug-Resistant and Extensively Drug Resistant Strains*, Mathematical and Computational Modelling, Wiley, 1–120, DOI : 10.1002/9781118853887.ch5, (2015).
- [3] J. P. APARICIO, AND C. CASTILLO-CHAVEZ, *Mathematical Modelling of Tuberculosis Epidemics*, Mathematical Biosciences and Engineering **6** (2), 209–237, (2009).
- [4] O. P. AGRAWAL, *On a general formulation for the numerical solution of optimal control problems*, International Journal of control **50**, 627–638, (1989).
- [5] O. P. AGRAWAL, *Formulation of Euler-Lagrange equations for fractional variational problems*, Journal of Mathematical Analysis and Applications **272**, 368–379, (2002).
- [6] O. P. AGRAWAL, *A formulation and numerical scheme for fractional optimal control problems*, Journal of Nonlinear Dynamics **38**, 323–337, (2004).
- [7] O. P. AGRAWAL, *A Formulation and Numerical Scheme for Fractional Optimal Control Problems*, Journal of Vibration and Control **14**, 1291–1299, (2008).
- [8] O. P. AGRAWAL, O. DEFTERLI AND D. BALEANU, *Fractional optimal control problems with several state and control variables*, Journal of Vibration and Control **16**, 1967–1976, (2010).
- [9] D. BALEANU, K. DIETHELM, E. SCALAS, AND J. J. TRUJILLO, *Fractional Calculus Models and Numerical Methods. Series on Complexity, Nonlinearity and Chaos*, World Scientific Publishing Co. Pte. Ltd., Hackensack, NJ, USA, (2012).

- [10] R. K. BISWAS AND S. SEN, *Numerical method for solving fractional optimal control problems*, proceeding of the ASME 2009 International Design Engineering Technical conference & Computers and Information in Engineering conference IDETC/CIE (San Diego) California, USA, 2009 August 30-2 September (2009).
- [11] W. W. BELL, *Special Functions for Scientists and Engineers*, Great Britain, Butler and Tanner Ltd, Frome and London, (1968).
- [12] O. V. BELOV, O. CHULUUNBAATAR, M. I. KAPRALOVA, N. H. SWEILAM, *The role of the Bacterial Mismatch Repair System in SOS-Induced Mutagenesis: A theoretical background*, Journal of Theoretical Biology **332**, 30–41, (2013).
- [13] J. P. BOYD, *Chebyshev and Fourier Spectral Methods*, 2nd ed., Mineola: Dover, (2001).
- [14] E. BROOKS-POLLOCK, G. O. ROBERTS, M. J. KEELING, *A dynamic Model of Bovine Tuberculosis Spread and Control in Great Britain*, Nature (Letters), **511**, 228–231, (2014).
- [15] C. CASTILLO-CHAVEZ, AND Z. FENG, *To Treat or Not to Treat: the Case of Tuberculosis*, J. Math. Biol. **35** (6), 629–656, (1997).
- [16] T. COHEN, M. MURRAY, *Modeling Epidemics of Multidrug-Resistant M. Tuberculosis of Heterogeneous Fitness*, Nat. Med. **10** (10), 1117–1121, (2004).
- [17] C. CANUTO, A. QUARTERONI, M. Y. HUSSAINI, T. A. ZANG, *Spectral Methods: Fundamentals in Single Domains*, Springer, (2006).
- [18] T. CHAO, *Tuberculosis Becoming More Drug-Resistant Worldwide*, ABC News Medical UNIT, (2012).
- [19] C. DYE, G. P. GARNETT, K. SLEEMAN, B. G. WILLIAMS, *Prospects for Worldwide Tuberculosis Control under the Who Dots Strategy. Directly observed short-course therapy*, Lancet **352** (9144), 1886–1891, (1998).
- [20] M. E. KRUK, N. R. SCHWALBE, C. A. AGUIAR, *Timing of Default from Tuberculosis Treatment: A Systematic Review*, Tropical Medicine and International Health **13**, 703–712, (2008).
- [21] M. DALIR, M. BASHOUR, *Applications of fractional calculus*, Applied Mathematic Science **4**, 1021–1032, (2010).
- [22] D. DEL-CASTILLO-NEGRETE, B. A. CARRERAS, V. E. LYNCH, *Front dynamics in reaction-diffusion systems with Lévy flights: A fractional diffusion approach*, Physical Review Letters **91** (1), 18301–18304, (2003).
- [23] K. DIETHELM, *A fractional calculus based model for the simulation of an outbreak of dengue fever*, Nonlinear Dynamics **6**, 1–7, (2012).
- [24] K. DIETHELM, N. FORD, *Analysis of fractional differential equations*, Journal of Mathematical Analysis and Applications **265** (2), 229–248, (2002).
- [25] K. DIETHELM, N. FORD, A. D. FREED, *A predictor-corrector approach for the numerical solution of fractional differential equations*, Nonlinear Dynamics **29** (1–4), 3–22, (2002).
- [26] *Global Tuberculosis Report 2014*, Geneva, World Health Organization, 2014, http://www.who.int/tb/publications/global_report/en/.
- [27] A. A. KILBAS, H. M. SRIVASTAVA, J. J. TRUJILLO, *Theory and applications of fractional differential equations*, Elsevier, San Diego, (2006).
- [28] M. M. KHADER AND S. S. HENDY, *An efficient numerical scheme for solving fractional optimal control problems*, International Journal of Nonlinear Science **14**, 287–296, (2012).
- [29] A. LOTFI, M. DEGHAN AND A. S. YOUSEFI, *A numerical technique for solving fractional optimal control problems*, Journal of Computers and Mathematics with applications **62**, 1055–1067, (2011).
- [30] H. JAFARI AND H. TRAJADODI, *Fractional order optimal control problems via the operational matrices of Bernstein polynomials*, University Politehnica of Bucharest Scientific Bulletin series A **76**, 115–128, (2014).
- [31] J. C. MASON, D. C. HANDSCOMB, *Chebyshev Polynomials*, New York, NY, CRC, Boca Raton: Chapman and Hall, (2003).
- [32] J. C. MASON, *Chebyshev Polynomials of the Second, Third and Fourth Kinds in Approximation, Indefinite Integration, and Integral Transforms*, J. Computational and Applied Mathematics **49**, 169–78, (1993).
- [33] Z. ODIBAT AND S. MOMANI, *An Algorithm for the Numerical Solution of Differential Equations of Fractional Order*, Appl. Math. Inf. Sci **26**, 15–27, (2008).
- [34] F. NYABADZA, D. WINKLER, *A simulation Age-Specific Tuberculosis Model for the Cape Town Metropole*, South African Journal of Science **109**, (9/10), 1–7, (2013).

- [35] World Health Organization, *Multidrug and Extensively Drug-Resistant TB (M/XDR-TB): 2012 Global Report on Surveillance and Response*, World Health Organization, (2012).
- [36] A. M. PEREZ, M. P. WARD, A. CHARMANDARIÁN, V. RITACCO, *Simulation Model of Within-Herd Transmission of Bovine Tuberculosis in Argentine dairy herds*, *Prev. Vet. Med* **4** (4), (2002).
- [37] I. PODLUBNY, *Fractional Differential Equations*, Academic Press, New York, (1999).
- [38] C. M. A. PINTO, A. R. M. CARVALHO, *Fractional Modeling of Typical Stages in HIV Epidemics with Drug-Resistance*, *Progr. Fract. Differ. Appl.* **1** (2), 111–122, (2015).
- [39] S. Z. RIDA, A. M. A. EL-SAYED, AND A. M. A. ARAFA, *Effect of Bacterial Memory Dependent Growth by Using Fractional Derivatives Reaction-Diffusion Chemotactic Model*, *J. Stat. Phys.* **140**, 797–811, (2010).
- [40] T. L. SZABO, J. WU, *A model for longitudinal and shear wave propagation in viscoelastic media*, *Journal of the Acoustical Society of America* **107** (5), 2437–2446, (2000).
- [41] M. A. SNYDER, *Chebyshev Methods in Numerical Approximation*, Prentice-Hall, Inc. Englewood Cliffs, N. J. (1966).
- [42] N. H. SWEILAM, S. M. AL-MEKHLAFI, *On the Optimal Control for Fractional Multi-Strain TB Model*, *Optim. Control Appl. Meth.* Published online in Wiley Online Library (wileyonlinelibrary.com), DOI: 10.1002/oca.2247, (2016).
- [43] N. H. SWEILAM, S. M. AL-MEKHLAFI, *Comparative Study for Multi-Strain Tuberculosis (TB) Model of Fractional Order*, *Journal of Applied Mathematics and Information Sciences* **10** (4), 1403–1413, (2016).
- [44] N. H. SWEILAM, S. M. AL-MEKHLAFI, *Numerical Study for Multi-Strain Tuberculosis (TB) Model of Variable-Order Fractional Derivatives*, *Journal of Advanced Research* **7** (2), 271–283, (2016).
- [45] N. H. SWEILAM, I. A. SOLIMAN, S. M. AL-MEKHLAFI, *Nonstandard Finite Difference Method for Solving the Multi-Strain TB Model*, *Journal of the Egyptian Mathematical Society*, (2017), <http://dx.doi.org/10.1016/j.joems.2016.10.004>.
- [46] N. H. SWEILAM, M. M. KHADER, A. M. S. MAHDY AND N. K. ABDEL MONIEM, *Numerical Simulation for the Fractional SIRC Model and Influenza A*, *Journal of Applied Mathematics and Information Sciences* **8** (3), 1–8, (2014).
- [47] C. TRICAUD AND Y. Q. CHEN, *An approximate method for numerically solving fractional order optimal control problems of general form*, *Computers and Mathematics with Applications* **59**, 1644–1655, (2010).
- [48] P. J. WHITE, G. P. GARNETT, *Mathematical Modelling of the Epidemiology of Tuberculosis*, in: *Modelling Parasite Transmission and Control*, E. Michael, R. C. Spear (Eds), **673**, 127–140, (2010).
- [49] http://www.indexmundi.com/EGYPT/life_expectancy_at_birth.html.
- [50] P. VAN DEN DRIESSCHE AND J. WATMOUGH, *Reproduction numbers and subthreshold endemic equilibria for compartmental models of disease transmission*, *Math. Biosci.* **180**, 29–48, (2002).
- [51] Z. WANG, X. HUANG, AND J. ZHOU, *A numerical method for delayed fractional order differential equations: Based on G-L Definition*, *Appl. Math. Inf. Sci.* **7** (2L), 525–529, (2013).