

ON SOME DIFFERENTIAL OPERATORS FOR CERTAIN CLASSES OF ANALYTIC FUNCTIONS

KHALIDA INAYAT NOOR

Abstract. Let $f(z) = D(F(z))$ where D is a differential operator defined separately in every result. Let F be analytic and $F(0) = 0, F'(0) = 1$. We shall find out the disc in which operator D transforms some classes of analytic functions into the same.

Mathematics subject classification (2000): 30C45, 30C50.

Key words and phrases: Convex, starlike, radius, differential operator, functions with positive real part, functions of bounded boundary rotation.

REFERENCES

- [1] S. D. BERNARDI, *New distortion theorems for functions of positive real part and applications to the partial sums of univalent convex functions*, Proc. Amer. Math. Soc., **45**(1974), 113–118.
- [2] W. M. CAUSEY AND W. L. WHITE, *Starlikeness of certain functions with integral representations*, J. Math. Anal. Appl. **64**(1978), 458–466.
- [3] A. W. GOODMAN, *Univalent Functions, Vol. I, II*, Polygonal Publishing House, Washington, NJ, 1983.
- [4] A. E. LIVINGSTON, *On the radius of univalence of certain analytic functions*, Proc. Amer. Math. Soc., **17**(1966), 352–357.
- [5] T. H. MACGREGOR, *The radius of univalence of certain analytic functions*, Proc. Amer. Math. Soc., **14**(1963), 514–520.
- [6] B. PINCHUK, *Functions with bounded boundary rotation*, Isr. J. Math., **10**(1971), 7–16.
- [7] S. RUSCHEWEYH AND V. SINGH, *On certain extremal problems for functions with positive real part*, Proc. Amer. Math. Soc., **61**(1976), 329–334.
- [8] G. M. SHAH, *On the univalence of some analytic functions*, Pacific J. Math., **43**(1972), 239–250.