

GENERAL DUAL EULER–SIMPSON FORMULAE

J. PEČARIĆ AND A. VUKELIĆ

Abstract. We consider a general dual Simpson formulae, using some Euler-type identities. A number of inequalities, for functions whose derivatives are either functions of bounded variation or Lipschitzian functions or R -integrable functions, are proved.

Mathematics subject classification (2000): 26D15, 26D20, 26D99.

Keywords and phrases: General dual Euler-Simpson formulae, quadrature formulae, functions of bounded variation, Lipschitzian functions.

REFERENCES

- [1] M. ABRAMOWITZ AND I. A. STEGUN (Eds), *Handbook of mathematical functions with formulae, graphs and mathematical tables*. National Bureau of Standards, Applied Math.Series 55, 4th printing, Washington, 1965.
- [2] I. S. BEREZIN AND N. P. ZHIDKOV, *Computing methods*. Vol. I, Pergamon Press, Oxford, 1965.
- [3] LJ. DEDIĆ, M. MATIĆ AND J. PEČARIĆ, *On generalizations of Ostrowski inequality via some Euler-type identities*. Math. Inequal. Appl., Vol. 3, No. 3 (2000), 337–353.
- [4] LJ. DEDIĆ, M. MATIĆ, J. PEČARIĆ, *On dual Euler-Simpson formulae*. Bull. Belg. Math. Soc., Vol. 8, (2001), 479–504.
- [5] I. FRANJIĆ, J. PEČARIĆ, *On corrected dual Euler-Simpson formulae*, Soochow J. of Math. **32** (4) (2006), 575–587.
- [6] T. KIM, *Sums of powers of consecutive q -integers*, Adv. Stud. Contemp. Math. (Kyungshang) **9** (2004), 15–18.
- [7] T. KIM, *On Euler-Barnes multiple zeta functions*, Russ. J. Math. Phys. **10**(3) (2003), 261–267.
- [8] T. KIM, *Non-Archimedean q -integers associated with multiple Changhee q -Bernoulli polynomials*, Russ. J. Math. Phys. **10**(1) (2003), 91–98.
- [9] T. KIM, L. C. JANG, S. H. RIM, *An extension of q -zeta function*, International J. Math. Sci. 2004(49) (2004), 2649–2651.
- [10] V. I. KRYLOV, *Approximate calculation of integrals*. Macmillan, New York-London, 1962.
- [11] M. MATIĆ, *Improvement of some inequalities of Euler-Grüss type*, Comput. Math. Appl. **46** (8-9) (2003), 1325–1336.