

GROWTH OF POLYNOMIALS WITH PRESCRIBED ZEROS

K. K. DEWAN AND ARTY AHUJA

Abstract. In this paper, we study the growth of polynomials of degree n having all its zeros on $|z| = k$, $k \leq 1$. Using the notation $M(p, t) = \max_{|z|=t} |p(z)|$, we measure the growth of p by

estimating $\left\{ \frac{M(p, t)}{M(p, 1)} \right\}^s$ from above for any $t \geq 1$, s being an arbitrary positive integer.

Mathematics subject classification (2010): 30A10, 30C10, 30C15.

Keywords and phrases: Polynomials, maximum modulus, zeros, extremal problems.

REFERENCES

- [1] N. C. ANKENY AND T. J. RIVLIN, *On a Theorem of S. Bernstein*, Pacific J. Math., **5** (1955), 849–852.
- [2] K. K. DEWAN AND A. MIR, *Note on a Theorem of S. Bernstein*, Southeast Asian Bulletin of Math., **31** (2007), 691–695.
- [3] N. K. GOVIL, *On the Theorem of S. Bernstein*, J. Math. and Phy. Sci., **14** (1980), 183–187.
- [4] G. PÓLYA AND G. SZEGÖ, *Aufgaben and Lehrsätze aus der Analysis*, Springer-Verlag, Berlin, 1925.
- [5] M. A. QAZI, *On the maximum modulus of polynomials*, Proc. Amer. Math. Soc., **115** (1992), 337–343.
- [6] W. M. SHAH, *Extremal Properties and Bounds for the Zeros of Polynomials*, Ph. D. Thesis, University of Kashmir, 1998.