GENERALISED TRAPEZOID TYPE INEQUALITIES FOR VECTOR–VALUED FUNCTIONS AND APPLICATIONS

C. Buşe, S. S. Dragomir, J. Roumeliotis and A. Sofo

Abstract. A generalisation of the trapezoid formula for vector-valued functions and applications for operatorial inequalities and vector–valued integral equations are given.

REFERENCES

[1] P. Cerone and S. S. Dragomir, *Trapezoidal–type rules from an inequalities point of wiew*, in Analytic–Computational Methods in Applied Mathematics, (Ed. G. A. Anastassiou), Chapman & Hall/CRC, 2000.
[2] J. Diestel and J. J. Uhl, Jr., *Vector Measures*, Amer. Math. Society, Mathematical Surveys, **15**, Providence, Rhode Island, (1977).
[3] H. O. Fattorini, *Second Order Linear Differential Equations in Banach Spaces*, Elsevier, Amsterdam, 1985.
[4] R. Nagel (Ed.), *One-Parameter Semigroups of Positive Operators*, Springer Lecture Notes in Mathematics, 1184 (1986).
[5] A. Pazy, *Semigroups of Linear Operators and Applications to Partial Differential Equations*, Springer Verlag, 1983.
[6] J. Prüss, *Evolutionary Integral Equations and Applications*, Monographs in Mathematics, Vol. **87**, Birkhaüser Verlag, New York, 1993.
[7] E. Schüler, *On the spectrum of cosine functions*, Journal of Math. Analysis and Appl., **229** (1999), 376–398.

© ELEMENT, Zagreb
Paper MIA-05-43

Mathematical Inequalities & Applications
www.ele-math.com
mia@ele-math.com