

REVERSE INEQUALITIES ON CHAOTICALLY GEOMETRIC MEAN VIA SPECHT RATIO

MASATOSHI FUJII, SANG HUN LEE, YUKI SEO AND DONGICK JUNG

Abstract. As an application of Mond-Pečarić method, we shall estimate bounds of operator convexity for convex functions. Consequently, we obtain some order relations between the arithmetic mean and the chaotically geometric one $A \diamond_{\alpha} B$ of positive operators A and B , i.e., $A \diamond_{\alpha} B = e^{(1-\alpha) \log A + \alpha \log B}$ for $\alpha \in [0, 1]$. Among others, we show that if $0 < m \leq A, B \leq M$ for some scalars $m < M$ and $h = \frac{M}{m}$, then

$$M_h(1)^{-1} A \diamond_{\alpha} B \leq A \nabla_{\alpha} B \leq M_h(1) A \diamond_{\alpha} B$$

holds for all $\alpha \in [0, 1]$, where the Specht ratio $M_h(1)$ is defined as

$$M_h(1) = \frac{h^{\frac{1}{h-1}}}{e \log h^{\frac{1}{h-1}}} \quad (h > 1) \quad \text{and} \quad M_1(1) = 1.$$

Mathematics subject classification (2000): 47A30, 47A63.

Key words and phrases: operator concavity, power mean, arithmetic mean and geometric mean, Löwner-Heinz Theorem, Hölder-McCarthy inequality, Ky Fan-Furuta constant.

REFERENCES

- [1] T. ANDO AND F. HIAI, *Log-majorization and complementary Golden-Thompson type inequalities*, Linear Algebra Appl., **197, 198** (1994), 113–131.
- [2] J. I. FUJII, S. IZUMINO AND Y. SEO, *Determinant for positive operators and Specht's theorem*, Sci. Math., **1**, No. 3 (1998), 307–310.
- [3] M. FUJII, T. FURUTA AND R. NAKAMOTO, *Norm inequalities in the Corach-Porta-Recht theory and operator means*, Illinois J. Math., **40** (1996), 527–534.
- [4] M. FUJII AND R. NAKAMOTO, *A gemetric mean in the Furuta inequality*, Sci. Math. Japon., **55** (2002), 615–621.
- [5] T. FURUTA, *Extensions of Hölder-McCarthy and Kantorovich inequalities and their applications*, Proc. Japan Acad., **73**, Ser. A (1997), 38–41.
- [6] T. FURUTA, *Operator inequalities associated with Hölder-McCarthy and Kantorovich inequalities*, J. Inequal. Appl., **2** (1998), 137–148.
- [7] T. FURUTA, *Invitation to linear operators*, Taylor & Francis, 2001.
- [8] KY FAN, *Some matrix inequalities*, Abh. Math. Sem. Univ. Hamburg, **29** (1966), 185–196.
- [9] J. MIČIĆ, Y. SEO, S.-E. TAKAHASI AND M. TOMINAGA, *Inequalities of Furuta and Mond-Pecaric*, Math. Ineq. Appl., **2** (1999), 83–111.
- [10] B. MOND AND J. E. PEČARIĆ, *Convex inequalities in Hilbert spaces*, Houston J. Math., **19** (1993), 405–420.
- [11] B. MOND AND J. E. PEČARIĆ, *Convex inequalities for several positive operators in Hilbert space*, Indian J. Math., **35** (1993), 121–135.
- [12] G. K. PEDERSEN, *Some operator monotone functions*, Proc. Amer. Math. Soc., **36** (1972), 309–310.
- [13] W. SPECHT, *Zur Theorie der elementaren Mittel*, Math. Z., **74** (1960), 91–98.

- [14] M. TOMINAGA, *Specht's ratio in the Young inequality*, Sci. Math. Japon., **55** (2002), 583–588.
- [15] T. YAMAZAKI AND M. YANAGIDA, *Characterizations of chaotic order associated with Kantorovich inequality*, Sci. Math., **2** (1999), 37–50.