COMPLETE INTERPOLATION OF MATRIX VERSIONS OF HERON AND HEINZ MEANS

RUPINDERIIT KAUR AND MANDEEP SINGH

Abstract. The interpolation and comparison of a matrix version of Heron mean, $F_{\alpha}(a,b) = (1-\alpha)\sqrt{ab} + \alpha \frac{a+b}{2}, \ 0 \le \alpha \le 1, \ a,b \in \mathbb{R}^+$ is considered by R. Bhatia in [1]. We shall discuss the complete interpolation and comparison of matrix version of such means by extending the range of α from [0,1] to \mathbb{R}^+ . We shall also discuss some more results involving Heinz means.

Mathematics subject classification (2010): 15A60, 47A30, 47A63, 47A64.

Keywords and phrases: Positive definite matrices, matrix means, norm inequalities.

REFERENCES

- [1] R. Bhatia, Interpolating the arithmetic-geometric mean inequality and its operator version, Linear Algebra Appl. 413 (2006) 355–363.
- [2] R. BHATIA, *Positive definite Matrices*, Princeton University Press, Princeton, (2007).
- [3] R. BHATIA AND K. R. PARTHASARTHY, Positive definite functions and operator inequalities, Bull. London Math. Soc., 32 (2000) 214–228.
- [4] F. HIAI AND H. KOSAKI, Means of Hilbert space operators, Lecture notes in Mathematics 1820, Springer, New York, (2003).
- [5] F. HIAI AND H. KOSAKI, Means of matrices and comparison of their norms, Indiana Univ. Math. J., 48 (1999) 899–936.
- [6] R. A. HORN AND C. R. JOHNSON, Topics in Matrix Analysis, Cambridge Univ. Press, (1990).
- [7] M. SINGH AND H. L. VASUDEVA, Norm inequalities involving matrix monotone functions, Math. Ineq. Appl., 7 (2004) 621–627.
- [8] X. ZHAN, Matrix Inequalities, Lecture notes in Mathematics 1790, Springer, New York, (2002).