

## LIOUVILLE TYPE THEOREM FOR HIGHER ORDER HARDY–HÉNON SYSTEM OF INEQUALITIES

LI-HUA MIN

*Abstract.* In this paper, we prove some new Liouville type theorems for fourth order and more general higher order Hardy–Hénon systems of inequalities. The test function method is applied to show the nonexistence of nontrivial nonnegative global solutions, which improve and extend some recent results.

*Mathematics subject classification* (2010): 35K41, 35B53, 35B08.

*Keywords and phrases:* Higher order, Liouville type theorem, system of inequalities, test function method.

### REFERENCES

- [1] S. N. AMSTRONG AND B. SIRAKOV, *Nonexistence of positive supersolutions of elliptic equations via the maximum principle*, Comm. Partial Differential Equations, **36**, 11 (2011), 2011–2047.
- [2] M. F. BIDAUT-VÉRON AND H. GIACOMINI, *A new dynamical approach of Emden-fowler equations and systems*, Adv. Differential Equations, **15**, 11–12 (2010), 1033–1082.
- [3] M. CALANCI AND B. RUF, *Radial and non radial solutions for Hardy–Hénon type elliptic systems*, Calc. Var., **38**, (2010), 111–133.
- [4] C. COWAN, *A Liouville theorem for a fourth order Hénon equation*, <http://arxiv.org/pdf/1110.2246.pdf>, (2011).
- [5] L. DUPAIGNE AND A. C. PONCE, *Singularities of positive supersolutions in elliptic PDEs*, Selecta Math. (N.S.), **10**, 3 (2004), 341–358.
- [6] Y. V. EGOROV, V. A. GALAKTIONOV, V. A. KONDRATIEV AND S. POHOZAEV, *On the necessary conditions of global existence to a quasilinear inequality in the half-space*, C. R. Acad. Sci. Paris Sér. I. Math., **330**, (2000), 93–98.
- [7] M. ESCOBEDO AND M. A. HERRERO, *Boundedness and blow up for a semilinear reaction-diffusion system*, J. Differential Equations, **89**, 1 (1991), 176–202.
- [8] M. FAZLY AND N. GHOUSSOUB, *On the Hénon-Lane-Emden conjecture*, <http://arxiv.org/pdf/1107.5611.pdf>, (2011).
- [9] J. FÖLDES, *Liouville theorems, a priori estimates, and blow-up rates for solutions of indefinite super-linear parabolic problems*, Czechoslovak Math. J., **61**, 136 (2011), 169–198.
- [10] V. A. GALAKTIONOV AND S. I. POHOZAEV, *Existence and blow-up for higher-order semilinear parabolic equations: Majorizing order-preserving operators*, Indiana Univ. Math. J., **51**, 6 (2002), 1321–1338.
- [11] B. GIDAS AND J. SPRUCK, *Global and local behavior of positive solutions of nonlinear elliptic equations*, Comm. Pure Appl. Math., **34**, 4 (1981), 525–598.
- [12] Z. X. JIANG AND S. N. ZHENG, *Fujita-Liouville type theorem for coupled fourth-order parabolic inequalities*, Chin. Ann. Math., **33B**, 1 (2012), 107–112.
- [13] A. G. KARTSATOS AND V. V. KURTA, *On a Liouville-type theorem and the Fujita blow-up phenomenon*, Proc. Amer. Math. Soc., **132**, (2004), 807–813.
- [14] L. H. MIN, X. P. YANG AND C. F. GUI, *Entropy estimates and large time behavior of solutions to a fourth order nonlinear degenerate equation*, Commun. Contemp. Math., (2013), DOI: 10.1142/S0219199712500666.

- [15] L. H. MIN AND X. P. YANG, *Finite speed of propagation and algebraic time decay of solutions to a generalized thin film equation*, Submitted to Communications on Pure and Applied Analysis (CPAA).
- [16] E. MITIDIERI, *Nonexistence of positive solutions of semilinear elliptic systems in  $\mathbb{R}^N$* , Differential Integral Equations, **9**, 3 (1996), 465–479.
- [17] E. MITIDIERI AND S. I. POHOZAEV, *A priori estimates and the absence of solutions of nonlinear partial differential equations and inequalities*, Tr. Mat. Inst. Steklova, **234**, (2001), 1–384.
- [18] Q. H. PHAN, *Liouville-type theorems and bounds of solutions for Hardy-Hénon elliptic systems*, Adv. Differential Equations, **17**, 7–8 (2012), 605–634.
- [19] Q. H. PHAN AND PH. SOUPLET, *Liouville-type theorems and bounds of solutions of Hardy-Hénon equations*, J. Differential Equations, **252**, (2012), 2544–2562.
- [20] P. POLÁČEK, P. QUITTNER AND PH. SOUPLET, *Singularity and decay estimates in superlinear problems via Liouville-type theorems, Part I: Elliptic equations and systems*, Duke Math. J., **139**, (2007), 555–579.
- [21] P. POLÁČEK, P. QUITTNER AND PH. SOUPLET, *Singularity and decay estimates in superlinear problems via Liouville-type theorems, Part II: Parabolic equations*, Indiana Univ. Math. J., **56**, (2007), 879–908.
- [22] PH. SOUPLET, *The proof of the Lane-Emden conjecture in four space dimensions*, Adv. Math., **221**, (2009), 1409–1427.
- [23] X. W. XU, *Uniqueness theorem for the entire positive solutions of biharmonic equations in  $\mathbb{R}^n$* , Proc. Roy. Soc. Edinburgh Sect. A, **130**, 3 (2000), 651–670.
- [24] X. D. YAN, *A Liouville-type theorem for higher order elliptic systems*, J. Math. Anal. Appl., **387**, (2012), 153–165.