

MEANINGFUL AND CO-MEANINGFUL SEQUENCES

G. J. O. JAMESON

Abstract. Two versions of the concept “meaningful” are distinguished, “strictly” and “power” meaningful. By establishing the converse of a theorem of Bennett, a full characterisation of strictly meaningful sequences is given. A dual concept “co-meaningful” is introduced (again in two versions), and an analogous characterisation is obtained.

Mathematics subject classification (2010): 26D15, 26A51.

Keywords and phrases: Monotonic, average, convex, meaningful.

REFERENCES

- [1] SHOSHANA ABRAMOVICH, GRAHAM JAMESON AND GORD SINNAMON, *Inequalities for averages of convex and superquadratic functions*, J. Ineq. Pure Appl. Math. **5** (2004), issue 4, article 91 (electronic).
- [2] GRAHAME BENNETT, *Meaningful sequences*, Houston J. Math. **33** (2007), 555–580.
- [3] GRAHAME BENNETT, *Meaningful sequences and the theory of majorization*, Houston J. Math. **35** (2009), 573–589.
- [4] GRAHAME BENNETT AND GRAHAM JAMESON, *Monotonic averages of convex functions*, J. Math. Anal. Appl. **252** (2000), 410–430.
- [5] G. J. O. JAMESON, *Monotonicity of weighted averages of convex functions*, Math. Ineq. Appl. **23** (2020), 425–432.