

## HYPERINVARIANT, CHARACTERISTIC AND MARKED SUBSPACES

PUDJI ASTUTI AND HARALD K. WIMMER

*Abstract.* Let  $V$  be a finite dimensional vector space over a field  $K$  and  $f$  a  $K$ -endomorphism of  $V$ . In this paper we study three types of  $f$ -invariant subspaces, namely hyperinvariant subspaces, which are invariant under all endomorphisms of  $V$  that commute with  $f$ , characteristic subspaces, which remain fixed under all automorphisms of  $V$  that commute with  $f$ , and marked subspaces, which have a Jordan basis (with respect to  $f|_X$ ) that can be extended to a Jordan basis of  $V$ . We show that a subspace is hyperinvariant if and only if it is characteristic and marked. If  $K$  has more than two elements then each characteristic subspace is hyperinvariant.

*Mathematics subject classification (2000):* 15A18, 47A15, 15A24, 15A57, 13C99.

*Keywords and phrases:* hyperinvariant subspaces, marked subspaces, characteristic subspaces, invariant subspaces, Jordan basis.

### REFERENCES

- [1] P. ASTUTI AND H. K. WIMMER, *Regular submodules of torsion modules over a discrete valuation domain*, Czechoslov. Math. J., **56** (2006), 349–357.
- [2] P. ASTUTI AND H. K. WIMMER, *A class of marked invariant subspaces with an application to algebraic Riccati equations*, Automatica, **42** (2006), 1503–1506.
- [3] L. BARATCHART, P. ENQVIST, A. GOMBANI, AND M. OLIVI, *Surface acoustic wave filters, unitary extensions and Schur analysis*, Report No. 44, 2003, Institut Mittag-Leffler, Stockholm, <http://www.mittag-leffler.se/preprints/0203s>.
- [4] R. BRU, L. RODMAN, AND H. SCHNEIDER, *Extensions of Jordan bases for invariant subspaces of a matrix*, Linear Algebra Appl., **150** (1991), 209–226.
- [5] A. COMPTA AND J. FERRER, *On  $(A, B)^f$ -invariant subspaces having extendible Brunovsky bases*, Linear Algebra Appl., **255** (1997), 185–201.
- [6] A. COMPTA, J. FERRER, AND M. PEÑA, *Dimensions of the orbit of marked subspaces*, Linear Algebra Appl., **379** (2004), 239–248.
- [7] A. COMPTA, AND M. PEÑA, *Structural stability of  $(C, A)$ -marked subspaces*, Linear Algebra Appl., **421** (2007), 45–52.
- [8] J. FERRER, F. PUERTA, AND X. PUERTA, *Geometric characterization and classification of marked subspaces*, Linear Algebra Appl., **235** (1996), 15–34.
- [9] P. A. FILLMORE, D. A. HERRERO, AND W. E. LONGSTAFF, *The characteristic subspace lattice of a linear transformation*, Linear Algebra Appl., **17** (1977), 125–132.
- [10] L. FUCHS, *Infinite Abelian Groups*, Vol. I., Academic Press, New York, 1973.
- [11] F. R. GANTMACHER, *The Theory of Matrices*, Vol. I, Chelsea, New York, 1959.
- [12] I. GOHBERG, P. LANCASTER, AND L. RODMAN, *Matrices and Indefinite Scalar Products*, Operator Theory: Advances and Applications, Vol. 8, Birkhäuser, Basel, 1983.
- [13] I. GOHBERG, P. LANCASTER, AND L. RODMAN, *Invariant Subspaces of Matrices with Applications*, Wiley, New York, 1986.
- [14] I. KAPLANSKY, *Infinite Abelian Groups*, University of Michigan Press, Ann Arbor, 1954.
- [15] T. KOŠIR AND B. PLESTENJAK, *On stability of invariant subspaces of commuting matrices*, Linear Algebra Appl., **342** (2002), 133–147.
- [16] V. KUČERA, *Algebraic Riccati equations: Hermitian and definite solutions*, in S. Bittanti, A. J. Laub and J. C. Willems (Eds.), *The Riccati Equation*, 53–88, Springer Verlag, Berlin, 1991.

- [17] W. E. LONGSTAFF, *A lattice-theoretic description of the lattice of hyperinvariant subspaces of a linear transformation*, *Can. J. Math.*, **28** (1976), 1062–1066.
- [18] L. RODMAN, *Maximal invariant neutral subspaces and an application to the algebraic Riccati equation*, *Manuscr. Math.*, **43** (1983), 1–12.
- [19] P. Y. WU, *Which linear transformations have isometric hyperinvariant subspace lattices?*, *Linear Algebra Appl.*, **169** (1992), 163–178.