C–SYMMETRIC OPERATORS AND REFLEXIVITY

Kamila Kliś-Garlicka and Marek Ptak

Abstract. We study subspaces of all C-symmetric operators. Description of the preanihilator of all C-symmetric operators is given. It is shown that the subspace of all C-symmetric operators is transitive and 2-hyperreflexive.

REFERENCES

[1] W. T. ARVESON, *Interpolation problems in nest algebras*, J. Funct. Anal. **20** (1975), 208–233.
[2] J. B. CONWAY, *A course in operator theory*, AMS, Graduate studies in mathematics; v. 21.
[3] S. R. GARCIA, M. PUTINAR, *Complex symmetric operators and applications*, Trans. Amer. Math. Soc. **358**, 3 (2005), 1285–1315.
[4] K. KLIŚ, M. PTAK, *k-hyperreflexive subspaces*, Houston J. Math. **32**, 1 (2006), 299–313.
[5] J. KRAUS, D. LARSON, *Some applications of a technique for constructing reflexive operator algebras*, J. Operator Theory **13** (1985), 227–236.
[6] J. KRAUS, D. R. LARSON, *Reflexivity and distance formulae*, Proc. London Math. Soc. **53** (1986), 340–356.
[7] W. E. LONGSTAFF, *On the operation Alg Lat in finite dimensions*, Lin. Alg. Appl. **27** (1979), 27–29.
[8] J. R. RINGROSE, *Compact non–self–adjoint operators*, Van Nostrand–Reinhold, New York, 1971.

© ELEMENT, Zagreb
Paper OaM-09-13

Operators and Matrices
www.ele-math.com
oam@ele-math.com