

REMARKS ON "WEAK LIMITS OF ALMOST INVARIANT PROJECTIONS" BY FOIAS, PASNICU AND VOICULESCU

MARCH T. BOEDIHARDJO

Abstract. Ultraproducts of operators are used to give simpler proofs of certain results in the paper "Weak limits of almost invariant projections" by Foias, Pasnicu and Voiculescu.

Mathematics subject classification (2010): 47A15, 47A58.

Keywords and phrases: Strong reductivity, ultraproducts of operators, Calkin representation, non-commutative Weyl-von Neumann Theorem, almost invariant projections.

REFERENCES

- [1] C. APOSTOL, C. FOIAŞ AND D. VOICULESCU, *On strongly reductive algebras*, Rev. Roumaine Math. Pures Appl. **21** (1976), no. 6, 663–641.
- [2] J. W. CALKIN, Two-sided ideals and congruences in the ring of bounded operators in Hilbert space, Ann. of Math. 42 (1941), 839–873.
- [3] C. FOIAŞ, C. PASNICU AND D. VOICULESCU, Weak limits of almost invariant projections, J. Operator Theory 2 (1979) 79–93.
- [4] K. J. HARRISON, Strongly reductive operators, Acta Sci. Math. 27 (1975), no. 3-4, 205-212.
- [5] B. PRUNARU, Strongly reductive algebras are self-adjoint, J. Operator Theory 48 (2002) 615-619.
- [6] D. VOICULESCU, A non-commutative Weyl-von Neumann theorem, Rev. Roumaine Math. Pures Appl. 21 (1976), no. 1, 97–113.

