

A NOTE ON THE STRUCTURE OF NORMAL HAMILTONIAN MATRICES

CHRISTOS CHORIANOPOULOS

Abstract. The structures of the blocks of a normal Hamiltonian matrix are studied. In this note it is obtained that all four blocks of a normal Hamiltonian matrix $H = \begin{bmatrix} A & B \\ C & -A^* \end{bmatrix}$ can be expressed as linear combinations of four other matrices.

Mathematics subject classification (2020): 15A21, 15B99, 47A15.

Keywords and phrases: Hamiltonian matrix, normal matrix.

REFERENCES

- [1] SILVIA GIGOLA, LEILA LEHTAHI AND NESTOR THOME, *Inverse eigenvalue problem for normal J -Hamiltonian matrices*, Applied Mathematics Letters **48** (2015), 36–40.
- [2] PETER LANCASTER, *Stability of linear gyroscopic systems: A review*, Linear Algebra and its Applications **439** (3) (2013), 686–706.
- [3] WEN WEI LIN, VOLKER MEHRMANN AND HONGGUO XU, *Canonical Forms for Hamiltonian and Symplectic Matrices and Pencils*, Linear Algebra and its Applications **302–303** (1999), 469–533.
- [4] CHRIS PAIGE AND CHARLES VAN LOAN, *A Schur decomposition for Hamiltonian matrices*, Linear Algebra and its Applications **41** (1981), 11–32.
- [5] JIA ZHAO AND JIEMING ZHANG, *The solvability conditions for the inverse eigenvalue problem of normal skew J -Hamiltonian matrices*, Journal of Inequalities and Applications **2018:74**, 2018.