

## GENERALIZED GHABRIES–ABBAS–MOURAD LOG–MAJORIZATION

ZESHENG FENG AND JIAN SHI\*

*Abstract.* In this paper, Ghabries-Abbas-Mourad log-majorization is generalized in two different cases.

*Mathematics subject classification (2020):* 47A63, 47A64.

*Keywords and phrases:* Furuta inequality, generalized Furuta inequality, Ghabries-Abbas-Mourad log-majorization.

### REFERENCES

- [1] T. FURUTA,  $A \geq B \geq 0$  assures  $(B^r A^p B^r)^{\frac{1}{q}} \geq B^{\frac{p+2r}{q}}$  for  $r \geq 0$ ,  $p \geq 0$ ,  $q \geq 1$  with  $(1+2r)q \geq p+2r$ , Proc. Amer. Math. Soc. 101 (1987), 85–88.
- [2] T. FURUTA, *Invitation to Linear Operators: From Matrices to Bounded Linear Operators on a Hilbert Space*, CRC Press, Taylor & Francis Group, 2001.
- [3] M. M. GHABRIES, H. ABBAS, B. MOURAD, *On some open questions concerning determinantal inequalities*, Linear Algebra Appl., 596 (2020), 169–183.
- [4] M. M. GHABRIES, H. ABBAS, B. MOURAD, A. ASSI, *A proof of a conjectured determinantal inequality*, Linear Algebra Appl., 605 (2020), 21–28.
- [5] F. ZHANG, *Matrix Theory: Basic Results and Techniques*, Springer, New York, 2nd ed., 2011.