

ON A QUADRATIC ESTIMATE OF SHAFER

LING ZHU

Abstract. In this note, a upper bound for $\arctan x$ is obtained. We would point out that the numbers $80/3$ and $256/\pi^2$ are the best constants in Shafer-type inequality.

Mathematics subject classification (2000): 26D15.

Keywords and phrases: Shafer-type inequality; A upper bound for $\arctan x$.

REFERENCES

- [1] R. E. SHAFER, *On quadratic approximation*, SIAM J. of Numerical Analysis, **11**, 2 (1974), 447–460.
- [2] R. E. SHAFER, *Analytic inequalities obtained by quadratic approximation*, Univ. Beograd. Publ. Elektrotehn. Fak. Ser. Mat. Fiz., No 577 - No 598 (1977), 96–97.
- [3] R. E. SHAFER, *On quadratic approximation, II*, Univ. Beograd. Publ. Elektrotehn. Fak. Ser. Mat. Fiz., No 602 - No 633 (1978), 163–170.
- [4] A. JEFFREY, *Handbook of Mathematical Formulas and Integrals* (3rd Edition), Elsevier Academic Press, 2004.
- [5] D. ZWILLINGER, *CRC Standard Mathematical Tables and Formulae*, CRC Press, 1996.
- [6] K. IRELAND AND M. ROSEN, *A Classical Introduction to Modern Number Theory*, 2nd ed., Springer-Verlag, New York-Berlin-Heidelberg, 1990.
- [7] M. BIERNACKI AND J. KRZYZ, *On the monotonicity of certain functionals in the theory of analytic functions*, Ann. Univ. M. Curie-Sklodowska, **2** (1955), 134–145.
- [8] S. PONNUSAMY AND M. VUORINEN, *Asymptotic expansions and inequalities for hypergeometric functions*, Mathematika **44** (1997), 278–301.
- [9] H. ALZER AND S.-L. QIU, *Monotonicity theorems and inequalities for the complete elliptic integrals*, J. Comput. Appl. Math. **172** (2004), 289–312.