

A PROOF OF THE WEIGHTED PÓLYA–KNOPP INEQUALITY FOLLOWING ARIÑO–MUCKENHOUT’S METHOD

EMU KONDO, SHINYA MORITOH* AND YUMI TANAKA

Abstract. We give a simple proof of the weighted Pólya–Knopp inequality following Ariño–Muckenhoupt’s method.

Mathematics subject classification (2020): 26D15, 26A51.

Keywords and phrases: Pólya–Knopp’s inequality, Ariño–Muckenhoupt’s weight.

REFERENCES

- [1] M. ARIÑO and B. MUCKENHOUT, *Maximal functions on classical Lorentz spaces and Hardy’s inequality with weights for nonincreasing functions*, Trans. Amer. Math. Soc. **320** (1990), 727–735.
- [2] L. CARLESON, *A proof of an inequality of Carleman*, Proc. Amer. Math. Soc. **5** (1954), 932–933.
- [3] L.-E. PERSSON AND V. D. STEPANOV, *Weighted integral inequalities with the geometric mean operator*, J. Inequal. Appl. **7** (2002), 727–746.
- [4] F. RIESZ, *Sur les valeurs moyennes des fonctions*, J. London Math. Soc. **5** (1930), 120–121.
- [5] C. SBORDONE AND I. WIK, *Maximal functions and related weight classes*, Publ. Mat. **38** (1994), no. 1, 127–155.