Mathematical
Inequalities
& Applications
Volume 2, Number 4 (1999), 545–549

BOUNDEDNESS OF SOLUTIONS OF CERTAIN THIRD ORDER DIFFERENTIAL EQUATION

B. MEHRI AND D. SHADMAN

Abstract. We study the behavior of the solutions of the differential equation $x''' + a(t)f(x'') + b(t)g(x') + c(t)h(x) = e(t)$. We shall present sufficient conditions on the functions involved under which the solutions of the above differential equation are bounded. Some results on the regularity and asymptotic behavior of the solutions are also obtained.

Mathematics subject classification (1991): 54C25.
Key words and phrases: Differential equations, nonlinear, boundedness.

REFERENCES

[1] Cesari, L., "*Asymptotic Behavior and Stability Problems in Ordinary Differential Equations*", Springer-Verlag, 1971.
[2] Bihari, I., "*On the nonlinear differential equation* $u'' + a(t)u + g(t)f(u^2) = 0$", Acta Math. Acad. Sci. Hungar., 6(1961) 287-290.
[3] Ezeilo, J.O.C., "*A note on the boundedness theorem for some third order differential equations*", J. London Math. Soc., 36 (1961) 439-444.
[4] Laas, V., "*A stability result for a third order nonlinear differential equation*", J. London Math. Soc. 40 (1965) 31-33.
[5] Zarghami, M.S., and Mehri, B., "*On the behavior of solutions of certain third order differential equations*", J. London Math. Soc., (2) 4 (1971) 271-276.
[6] Bihari, I., "Researches of the boundedness and stability of the solutions of non-linear differential equations", Acta Math. Sci. Hugar, 8 (1957), 261-278.
[7] Perko, L., "*Differntial equations and Dynamical Systems*", Springer-Verlag, 1991.
[8] Lefschetz, Z., "*Differential Equations: Geometric Theory, Second Edition*", Interscience New York, 1962.

© ELEMENT, Zagreb
Paper MIA-02-45