

EMBEDDING OF CLASSES OF FUNCTIONS WITH Λ_φ -BOUNDED VARIATION INTO GENERALIZED LIPSCHITZ CLASSES

HEPING WANG

Abstract. In this note, we obtain the sufficient and necessary condition for the embedding of the classes $\Lambda_\varphi \text{BV}$ of functions with Λ_φ -bounded variation into the generalized Lipschitz classes H_q^ω , $1 \leq q < \infty$.

Mathematics subject classification (2010): 26A45, 26A16, 46E35.

Keywords and phrases: Λ -bounded variation, Lipschitz classes, embedding.

REFERENCES

- [1] U. GOGINAVA, *On the embedding of Waterman class in the class H_p^ω* , Ukrainian Math. J., **57**, 11 (2005), 1818–1824.
- [2] G. HARDY, J. E. LITTLEWOOD AND G. PÓLYA, *Inequalities* (Second Edition), Cambridge University Press, Cambridge, 1952.
- [3] M. HORMOZI, *Inclusion of $\text{ABV}^{(p)}$ spaces in the classes H_q^ω* , J. Math. Anal. Appl., **404**, 2 (2013), 195–200.
- [4] M. HORMOZI, A. A. LEDARI AND F. PRUS-WIŚNIOWSKI, *On p - Λ -bounded variation*, Bull. Iranian. Math. Soc., **37**, 4 (2011), 35–49.
- [5] YU. E. KUPRIKOV, *On moduli of continuity of functions in Waterman classes*, Moscow Univ. Math. Bull., **52**, 5 (1997), 46–49.
- [6] ZHONGKAI LI AND HEPING WANG, *Estimates of L^p modulus of continuity of functions of Λ -bounded variation and applications in Fourier series*, Applicable Analysis, **90**, 3–4 (2011), 475–482.
- [7] L. LEINDLER, *A note on embedding of classes H^ω* , Anal. Math., **27**, (2001), 71–76.
- [8] M. LIND, *On functions of bounded Λ -variation and integral smoothness*, to appear in Forum Math.. Also see arXiv.org/math.CA/1212.5402v1 (2012).
- [9] M. V. MEDVEDEVA, *On embedding of the classes $H\tilde{o}_z$* , Math. Notes, **64**, (1998), 616–621.
- [10] S. PERLMAN AND D. WATERMAN, *Some remarks on functions of Λ -bounded variation*, Proc. Amer. Math. Soc., **74**, 1 (1979), 113–123.
- [11] M. SCHRAMM AND D. WATERMAN, *Absolute convergence of Fourier series of functions of $\Lambda\text{BV}^{(p)}$ and $\phi\Lambda\text{BV}$* , Acta Math. Acad. Sci. Hungar., **40**, 3–4 (1982), 273–276.
- [12] M. SHIBA, *On the absolute convergence of Fourier series of functions of class $\Lambda\text{BV}^{(p)}$* , Sci. Rep. Fukushima Univ., **30**, (1980), 7–10.
- [13] HEPING WANG, *Embedding of Lipschitz classes into classes of functions of Λ -bounded variation*, J. Math. Anal. Appl., **354**, (2009), 698–703.
- [14] HEPING WANG, *Embedding of generalized Lipschitz classes into classes of functions with Λ -bounded variation*, preprint.
- [15] HEPING WANG AND ZHAOYANG WU, *Estimates of L_p modulus of continuity of generalized bounded variation classes*, J. Funct. Spaces, (2014), Article ID 201801, 13 pages.
- [16] SILEI WANG, *Some properties of the functions of Λ -bounded variation*, Sci. Sinica Ser. A, **25**, 2 (1982), 149–160.
- [17] D. WATERMAN, *On convergence of Fourier series of functions of generalized bounded variation*, Studia Math., **44**, (1972), 107–117.
- [18] D. WATERMAN, *On the summability of Fourier series of functions of Λ -bounded variation*, Studia Math., **55**, (1976), 87–95.

- [19] D. WATERMAN, *On Λ -bounded variation*, Studia Math., **57**, (1976), 33–45.
- [20] N. WIENER, *The quadratic variation of a function and its Fourier coefficients*, Massachusetts J. Math., **3**, (1924), 72–94.
- [21] L. C. YOUNG, *Sur une généralization de la notion de variation de Wiener et sur la convergence des séries de Fourier*, C. R. Acad. Sci. Paris, **204**, (1937), 470–472.