

A MEAN VALUE THEOREM FOR THE CHEBYSHEV FUNCTIONAL

BOGDAN GAVREA

Abstract. In the present paper we present a mean value theorem for the Chebyshev functional based on divided differences. This theorem is then used to obtain a new Chebyshev-Grüss type inequality.

Mathematics subject classification (2010): 26D10, 46N30.

Keywords and phrases: Chebyshev functional, mean value theorem, Grüss inequality, divided difference.

REFERENCES

- [1] H. BELBACHIR AND M. RAHMANI, *An integral inequality for n -convex functions*, Math. Inequalities & Appl., **15** (1) (2012), 117–126.
- [2] E. V. ATKINSON, *An inequality*, Univ. Beograd. Publ Elektrotehn. Fak. Ser. Mat. Fiz., **5–6** (1971), 357–380.
- [3] J. PEĆARIĆ, F. PROSHAN AND Y. TONG, *Convex functions, partial ordering and statistical applications*, Academic Press, New York, 1992.
- [4] A. LUPAŞ, *An integral inequality for convex functions*, Univ. Beograd. Publ Elektrotehn. Fak. Ser. Mat., **17–19** (1972), 381–409.
- [5] A. LUPAŞ, *Contribuții la teoria aproximării prin operatori liniari (in Romanian)*, Ph. D. Thesis, Cluj-Napoca, Babeş-Bolyai University, 1975.
- [6] I. GAVREA, *An extension of the Lupaş theorem for Hermite-Hadamard functionals*, Math. Inequalities & Appl., **12** (3) (2009), 537–548.
- [7] I. GAVREA, *Estimations for P_n -simple functionals*, Result. Math., **53** (2009), 269–277.
- [8] T. POPOVICIU, *Notes sur les fonctions convexes d'ordre superieure IX. Inegalites lineaires et bilineaires entre les fonctions convexes. Quelques generalisations d'une inegalite de Tchebycheff (in French)*, Bull. Math. Soc. Roumaine Sci., **43** (1973), 85–141.
- [9] G. ANASTASSIOU, *Probabilistic inequalities*, World Scientific Publishing, 2009.