

VARIABLE INTEGRAL AND SMOOTH EXPONENT TRIEBEL-LIZORKIN SPACES ASSOCIATED WITH A NON-NEGATIVE SELF-ADJOINT OPERATOR

JINGSHI XU AND XIAODI YANG

Abstract. In this paper, variable integral and smooth exponent Triebel-Lizorkin spaces associated with a non-negative self-adjoint operator are introduced. Then equivalent norms and atomic decomposition of these new spaces are given.

Mathematics subject classification (2010): 46E35, 42B25.

Keywords and phrases: Triebel-Lizorkin space, variable exponent, non-negative self-adjoint operators, maximal function, atomic decomposition.

REFERENCES

- [1] T. ADAMOWICZ, P. HARJULEHTO AND P. HÄSTÖ, *Maximal operator in variable exponent Lebesgue spaces on unbounded quasimetric measure spaces*, Math. Scand. **116** (2015), 5–22.
- [2] A. ALMEIDA AND P. HÄSTÖ, *Besov spaces with variable smoothness and integrability*, J. Funct. Anal. **258** (5) (2010), 1628–1655.
- [3] A. BUI, J. CAO, L. D. KY, D. YANG AND S. YANG, *Musielak-Orlicz-Hardy spaces associated with operators satisfying reinforced off-diagonal estimates*, Anal. Geom. Metric Spaces **1** (2014), 69–129.
- [4] J. CAO, D. C. CHANG, H. WU AND D. YANG, *Weak Hardy spaces $WH_L^p(\mathbb{R}^n)$ associated to operators satisfying k -Davies-Gaffney estimates*, J. Nonlinear Convex Anal. **16** (7) (2015), 1205–1255.
- [5] J. CAO, D. C. CHANG, D. YANG AND S. YANG, *Boundedness of second order Riesz transforms associated to Schrödinger operators on Musielak-Orlicz-Hardy spaces*, Commun. Pure Appl. Anal. **13** (2014), 1435–1463.
- [6] J. CAO, D. YANG AND S. YANG, *Endpoint boundedness of Riesz transforms on Hardy spaces associated with operators*, Rev. Mat. Complut. **26** (2013), 99–114.
- [7] Y. CHEN, S. LEVINE AND R. RAO, *Variable exponent, linear growth functionals in image restoration*, SIAM J. Appl. Math., **66** (4) (2006), 1383–1406.
- [8] M. CHRIST, *A $T(b)$ theorem with remarks on analytic capacity and the Cauchy integral*, Colloq. Math., **60/61** (1990), 601–628.
- [9] D. CRUZ-URIBE AND A. FIORENZA, *Variable Lebesgue Spaces*, Springer, Heidelberg, 2013.
- [10] D. CRUZ-URIBE, A. FIORENZA, J. MARTELL AND C. PÉREZ, *The boundedness of classical operators on variable L^p spaces*, Ann. Acad. Sci. Fen. Math. **31** (2006), 239–264.
- [11] D. CRUZ-URIBE, A. FIORENZA, M. RUZHANSKY AND J. WIRTH, *Variable Lebesgue spaces and Hyperbolic systems*, Birkhäuser, Basel, 2014.
- [12] D. CRUZ-URIBE AND L. A. WANG, *Variable Hardy spaces*, Indiana Univ. Math. J. **63** (2) (2014), 447–493.
- [13] S. DEKEKEL, G. KERKYACHARIAN, G. KYRIAZIS AND P. PETRUSHEV, *Hardy spaces associated with non-negative self-adjoint operators*, arXiv:1409.0424.
- [14] S. DEKEKEL, G. KERKYACHARIAN, G. KYRIAZIS AND P. PETRUSHEV, *A new proof of the atomic decomposition of Hardy spaces*, arXiv:1409.0419.
- [15] L. DIENING, P. HARJULEHTO, P. HÄSTÖ, Y. MIZUTA AND T. SHIMOMURA, *Maximal functions in variable exponent spaces: limiting cases of the exponent*, Ann. Acad. Sci. Fenn. Math. **34** (2) (2009), 503–522.

- [16] L. DIENING, P. HARJULEHTO, P. HÄSTÖ AND M. RŮŽIČKA, *Lebesgue and Sobolev spaces with variable exponents*, Springer, Berlin, 2011.
- [17] L. DIENING, P. HÄSTÖ AND S. ROUDENKO, *Function spaces of variable smoothness and integrability*, J. Funct. Anal. **256** (6) (2009), 1731–1768.
- [18] L. DIENING, *Maximal function on generalized Lebesgue spaces $L^{p(\cdot)}$* , Math. Inequal. Appl. **7** (2) (2004), 245–254.
- [19] G. HU, *Besov and Triebel-Lizorkin spaces associated with non-negative self-adjoint operators*, J. Math. Anal. Appl. **411** (2014), 753–772.
- [20] M. IZUKI, E. NAKAI AND Y. SAWANO, *Function spaces with variable exponents an introduction*, Sci. Math. Jpn. **77** (2) (2014), 187–315.
- [21] R. JIANG AND D. YANG, *Orlicz-Hardy spaces associated with operators satisfying Davies-Gaffney estimates*, Commun. Contemp. Math. **13** (2011), 331–373.
- [22] R. JIANG AND D. YANG, *New Orlicz-Hardy spaces associated with divergence form elliptic operators*, J. Funct. Anal. **258** (2010), 1167–1224.
- [23] R. JIANG, D. YANG AND Y. ZHOU, *Orlicz-Hardy spaces associated with operators*, Sci. China Ser. A, **52** (2009), 1042–1080.
- [24] H. KEMPKA, *2-Microlocal Besov and Triebel-Lizorkin spaces of variable integrability*, Rev. Mat. Complut. **22** (1) (2009), 227–251.
- [25] H. KEMPKA, *Atomic, molecular and wavelet decomposition of generalized 2-microlocal Besov spaces*, J. Funct. Spaces Appl. **8** (2) (2010), 129–165.
- [26] H. KEMPKA AND J. VYBÍRAL, *Spaces of variable smoothness and integrability: Characterizations by local means and ball means of differences*, J. Fourier Anal. Appl. **18** (4) (2012), 852–891.
- [27] H. KEMPKA AND J. VYBÍRAL, *Lorentz spaces with variable exponents*, Math. Nachr. **287** (2014), 938–954.
- [28] G. KERKYACHARIAN AND P. PETRUSHEV, *Heat kernel based decomposition of spaces of distributions in the framework of Dirichlet spaces*, Trans. Amer. Math. Soc. **367** (2015), 121–189.
- [29] S. G. KRANTZ AND H. G. PARKS, *A Primer of Real Analytic Functions*, Birkhäuser Verlag, Basel, 1992.
- [30] O. KOVACIK AND J. RAKOSNIK, *On spaces $L^{p(x)}$ and $W^{k,p(x)}$* , Czech. Math. J. **41** (1991), 592–618.
- [31] Y. LIANG, D. YANG AND S. YANG, *Applications of Orlicz-Hardy spaces associated with operators satisfying Poisson estimates*, Sci. China Math. **54** (2011), 2395–2426.
- [32] E. NAKAI AND Y. SAWANO, *Hardy spaces with variable exponents and generalized Campanato spaces*, J. Funct. Anal. **262** (9) (2012), 3665–3748.
- [33] A. NEKVINDA, *Hardy-Littlewood maximal operator on $L^{p(x)}(\mathbb{R}^n)$* , Math. Inequal. Appl. **7** (2004), 255–265.
- [34] M. RUŽIČKA, *Electrorheological Fluids: Modeling and Mathematical Theory*, Springer-Verlag, Berlin, 2000.
- [35] V. S. RYCHKOV, *On a theorem of Bui, Paluszynski, and Taibleson*, Proc. Steklov Inst. Math. **227** (1999), 280–292.
- [36] H. TRIEBEL, *Theory of function spaces*, Birkhäuser, Basel, 1983.
- [37] H. TRIEBEL, *Theory of function spaces II*, Birkhäuser, Basel, 1992.
- [38] H. TRIEBEL, *The structure of functions*, Birkhäuser, Basel, 2001.
- [39] H. TRIEBEL, *Theory of function spaces III*, Birkhäuser, Basel, 2006.
- [40] T. ULLRICH, *Continuous characterizations of Besov-Lizorkin-Triebel spaces and new interpretations as coorbits*, J. Funct. Spaces Appl. **2012** (2012), Article ID 163213, 47 pages.
- [41] J. XU, *Variable Besov spaces and Triebel-Lizorkin spaces*, Ann. Acad. Sci. Fenn. Math. **33** (2) (2008), 511–522.
- [42] D. YANG AND DO. YANG, *Maximal function characterizations of Musielak-Orlicz-Hardy spaces associated with magnetic Schrödinger operators*, Front. Math. China. **10** (5) (2015), 1203–1232.
- [43] D. YANG AND S. YANG, *Orlicz-Hardy spaces associated with divergence operators on unbounded strongly Lipschitz domains of \mathbb{R}^n* , Indiana Univ. Math. J. **61** (2012), 81–129.
- [44] D. YANG AND S. YANG, *Real-variable characterizations of Orlicz-Hardy spaces on strongly Lipschitz domains of \mathbb{R}^n* , Rev. Mat. Iberoam. **29** (2013), 237–292.
- [45] D. YANG AND S. YANG, *Local Hardy spaces of Musielak-Orlicz type and their applications*, Sci. China Math. **55** (2012), 1677–1720.
- [46] D. YANG AND S. YANG, *Musielak-Orlicz-Hardy spaces associated with operators and their applications*, J. Geom. Anal. **24** (2014), 495–570.

- [47] D. YANG AND S. YANG, *Second-order Riesz transforms and maximal inequalities associated to magnetic Schrödinger operators*, Canad. Math. Bull. **58** (2015), 432–448.
- [48] J. ZHANG, J. CAO, R. JIANG AND D. YANG, *Non-tangential maximal function characterizations of Hardy spaces associated to degenerate elliptic operators*, Canad. J. Math. **67** (2015), 1161–1200.