

## TRACIAL MOMENT PROBLEMS ON HYPERCUBES

CONG TRINH LE

**Abstract.** In this paper we introduce the *tracial K-moment problem* and the *sequential matrix-valued K-moment problem* and show the equivalence of the solvability of these problems. Using a Haviland's theorem for matrix polynomials, we solve these *K*-moment problems for the case where *K* is the hypercube  $[-1, 1]^n$ .

**Mathematics subject classification (2010):** 44A60, 30E05, 13J30, 47A57, 11E25.

**Keywords and phrases:** Moment problem, matrix polynomial, moment functional, moment sequence, hypercube.

## REFERENCES

- [1] S. BURGDORF AND I. KLEP, *The truncated tracial moment problem*, J. Oper. Theory **68** (1) (2012), 141–163.
- [2] S. BURGDORF, I. KLEP AND J. POVH, *The tracial moment problem and trace-optimization of polynomials*, Math. Prog. **137**, Issue 1–2 (2013), 557–578.
- [3] J. CIMPRIČ, A. ZALAR, *Moment problems for operator polynomials*, J. Math. Anal. Appl. **401** (1) (2013), 307–316.
- [4] H. DETTE AND W.J. STUDDEN, *Matrix measures, moment spaces and Favard's theorem for the interval  $[0, 1]$  and  $[0, +\infty)$* , Linear Algebra Appl. **345** (2002), 169–193.
- [5] D. P. KIMSEY, *Matrix-valued moment problems*, Ph. D. dissertation, Drexel University, Philadelphia, PA, 2011.
- [6] D. P. KIMSEY AND H. J. WOERDEMAN, *Truncated matrix-valued moment problems on  $\mathbb{R}^d, \mathbb{C}^d$ , and  $\mathbb{T}^d$* , Trans. Amer. Math. Soc. **365** (10) (2013), 5393–5430.
- [7] C.-T. LÊ, T. H. B. DU, *Handelman's Positivstellensatz for polynomial matrices positive definite on polyhedra*, Positivity **22** (3) (2018), 449–460.
- [8] C. W. SCHERER, C. W. J. HOL, *Matrix sum-of-squares relaxations for robust semi-definite programs*, Math. Program. **107** no. 1–2, Ser. B (2006), 189–211.
- [9] K. SCHMÜDGEN, *The K-moment problem for compact semi-algebraic sets*, Math. Ann. **289** (1) (1991), 203–206.
- [10] K. SCHMÜDGEN, *The moment problem*, Springer, 2017.