

## A NONLINEAR VERSION OF HALANAY INEQUALITY AND APPLICATION TO NEURAL NETWORKS THEORY

NASSER-EDDINE TATAR

**Abstract.** We establish an exponential stability result for a delayed Hopfield neural network. This is proved in case one or more of the activation functions fails to satisfy the standard Lipschitz continuity condition. We use a nonlinear version of Halanay inequality, which we prove here.

**Mathematics subject classification (2010):** 92B20, 93D20, 34D20, 37C75.

**Keywords and phrases:** Hopfield neural network, exponential stabilization, non-Lipschitz continuous activation functions, nonlinear Halanay inequality.

### REFERENCES

- [1] K. AMINIAN, B. THOMAS, H. I. BILGESU, S. AMERI AND A. OYEROKUN, *Permeability distribution prediction*, SPE Paper, Proceeding of SPE Eastern Regional Conference, October 2001.
- [2] G. BAO AND Z. ZENG, *Analysis and design of associative memories based on recurrent neural network with discontinuous activation functions*, Neurocomputing 77 (2012), 101–107.
- [3] A. BHATT AND H. B. HELLE, *Committee neural networks for porosity and permeability prediction from well logs*, Geophys. Prospect. 50, (2002), 645–660.
- [4] Z. CAI AND L. HUANG, *Existence and global asymptotic stability of periodic solution for discrete and distributed time-varying delayed neural networks with discontinuous activations*, Neurocomputing 74 (2011), 3170–3179.
- [5] J. CAO AND D. W. C. HO, *A general framework for global asymptotic stability analysis of delayed neural networks based on LMI approach*, Chaos, Solitons and Fractals 24 (2005), 1317–1329.
- [6] J. A. CID, *On uniqueness criteria for systems of ordinary differential equations*, J. Math. Anal. Appl. 281 (2003), 264–275.
- [7] A. CONSTANTIN, *On Nagumo's theorem*, Proc. Japan Acad. 86, Ser. A. (2010), 41–45.
- [8] P. DELELLIS, M. DI BERNARDO, AND G. RUSSO, *On QUAD, Lipschitz, and Contracting Vector Fields for Consensus and Synchronization of Networks*, IEEE Trans. Circuits and Syst. - I: 58 (3) (2011), 576–583.
- [9] M. FORTI, M. GRAZZINI, P. NISTRI AND L. PANCIONI, *Generalized Lyapunov approach for convergence of neural networks with discontinuous or non-Lipschitz activations*, Physica D 214 (2006), 88–99.
- [10] R. GAVALDI AND H. T. SIEGELMANN, *Discontinuous in recurrent neural networks*, Neural Comput. 11 (1999), 715–745.
- [11] E. HILLE, *Lectures on Ordinary Differential Equations*, Addison-Wesley, Reading, Mass. 1969.
- [12] J. T. HOAG, *Existence and uniqueness of a local solution for  $x' = f(t, x)$  using inverse functions*, Electron. J. Diff. Eqs. 2013, No. 124, 1–3.
- [13] Y. HUANG, H. ZHANG AND Z. WANG, *Dynamical stability analysis of multiple equilibrium points in time-varying delayed recurrent neural networks with discontinuous activation functions*, Neurocomputing 91 (2012), 21–28.
- [14] Y. JIANG, B. YANG, J. WANG AND C. SHAO, *Delay-dependent stability criterion for delayed Hopfield neural networks*, Chaos, Solitons and Fractals 39 (2009), 2133–2137.
- [15] L. JONG-SE AND K. JUNGWHAN, *Reservoir porosity and permeability estimation from well logs using fuzzy logic and neural networks*, SPE Asia Pacific Oil and Gas Conference and Exhibition. Perth, Australia 2004.

- [16] B. KOSKO, *Neural Network and Fuzzy System - A Dynamical System Approach to Machine Intelligence*, New Delhi: Prentice-Hall of India 1991.
- [17] J.-S. LIM, *Reservoir properties determination using fuzzy logic and neural networks from well data in offshore Korea*, J. Pet. Sci. Eng., 49 (3–4), (2005), 182–192.
- [18] J. LIU, X. LIU AND W.-C. XIE, *Global convergence of neural networks with mixed time-varying delays and discontinuous neuron activations*, Information Sciences 183 (2012), 92–105.
- [19] H. LU, F. L. CHUNG AND Z. HE, *Some sufficient conditions for global exponential stability of delayed Hopfield neural networks*, Neural Netw. 17 (2004), 537–544.
- [20] S. MOHAGHEGH, R. AREFI, S. AMERI AND D. ROSE, *Design and development of an artificial neural network for estimation of permeability*, Society of Petroleum Engineers. SPE 28237, 1994.
- [21] L. A. NAGASAKI COSTA, C. MASCHIO AND D. J. SCHIOZER, *Application of artificial neural networks in a history matching process*, J. Petr. Sci. Eng., 2014.
- [22] Q. M. SADEQ AND W. I. B. YUSOFF, *Porosity and permeability analysis from well logs and core in fracture, vugy and intercrystalline carbonate reservoirs*, J. Aquac. Res. Development. 2015, 6:10 DOI:10.4172/2155-9546.1000371.
- [23] T. P. SAMPAIO, V. J. M. FERREIRA FILHO, A. SA NETO, *An application of feed forward neural network as nonlinear proxies for use during the history matching phase*, Latin American and Caribbean Petroleum Engineering Conference, SPE122148. Cartagena, Colombia, 31 May–3 June, 2009.
- [24] T. SHEN, Y. ZHANG, *Improved global robust stability criteria for delayed neural networks*, IEEE Trans. Circuits Syst. II54 (8) (2007), 715–719.
- [25] V. SINGH, *Simplified LMI condition for global asymptotic stability of delayed neural networks*, Chaos, Solitons & Fractals 29 (2006), 470–473.
- [26] Q. SONG, *Novel criteria for global exponential periodicity and stability of recurrent neural networks with time-varying delays*, Chaos, Solitons and Fractals 36 (2008), 720–728.
- [27] P. TAHMASEBI AND A. HEZARKHANI, *A fast and independent architecture of artificial neural network for permeability prediction*, J. Pet. Sci. Eng., Vol. 86–87 (2012), 118–126.
- [28] N.-E. TATAR, *Hopfield neural networks with unbounded monotone activation functions*, Adv. Artificial Neural Netw. Syst. 2012 (2012), ID571358, 1–5.
- [29] N.-E. TATAR, *Control of systems with Hölder continuous functions in the distributed delays*, Carpathian J. Math. 30 (1) (2014), 123–128.
- [30] N.-E. TATAR, *Long time behavior for a system of differential equations with non-Lipschitzian nonlinearities*, Adv. Artificial Neural Network. Syst. Vol. 2014, Article ID 252674, (2014), 7 pages. doi:10.1155/2014/252674.
- [31] N.-E. TATAR, *Haroux type activation functions in neural network theory*, British J. Math. Math. Computer Sci. 4 (22), (2014), 3163–3170.
- [32] N.-E. TATAR, *Neural networks with delayed Hölder continuous activation functions*, Int. J. Artificial Intelligence Mechatronics 2 (6) (2014), 156–160.
- [33] N.-E. TATAR, *Hölder continuous activation functions*, Adv. Diff. Eqs. Control Processes in Neural Networks, 15 (2) (2015), 93–106.
- [34] N.-E. TATAR, *Exponential decay for a system of equations with distributed delays*, J. Appl. Math., Vol. 2015, (2015), Article ID 981383, 6 pages.
- [35] N.-E. TATAR, *On a general nonlinear problem with distributed delays*, J. Contemporary Math. Anal., 52 (4), (2017), 184–190.
- [36] J. WANG, L. HUANG AND Z. GUO, *Global asymptotic stability of neural networks with discontinuous activations*, Neural Networks 22 (2009), 931–937.
- [37] H. WU, *Global exponential stability of Hopfield neural networks with delays and inverse Lipschitz neuron activations*, Nonlinear Anal., Real World Appl. 10 (2009), 2297–2306.
- [38] H. WU, F. TAO, L. QIN, R. SHI AND L. HE, *Robust exponential stability for interval neural networks with delays and non-Lipschitz activation functions*, Nonlinear Dyn. 66 (2011), 479–487.
- [39] H. WU AND X. XUE, *Stability analysis for neural networks with inverse Lipschitzian neuron activations and impulses*, Appl. Math. Model. 32 (2008), 2347–2359.
- [40] H. ZHAO, *Global asymptotic stability of Hopfield neural networks involving distributed delays*, Neural Networks 17 (2004), 47–53.
- [41] J. ZHOU, S. Y. LI AND Z. G. YANG, *Global exponential stability of Hopfield neural networks with distributed delays*, Appl. Math. Model. 33 (2009), 1513–152.

Journal of Mathematical Inequalities  
[www.ele-math.com](http://www.ele-math.com)  
[jmi@ele-math.com](mailto:jmi@ele-math.com)